


Summary:

Oracle iStore enables the creation and maintenance of high quality web stores which is based on Oracle Database with full integration 

with Oracle E-Business Suite 11i. Since Oracle iStore has look and feel of a website, it allows easier collaboration with customers, suppliers, distributors etc. Oracle iStore is fully integrated with Oracle Order Management. Oracle iStore use Java Server Pages (JSP) technologies to implement web features. Using same product database based on Oracle inventory, Oracle iStore provides development of different websites for different customers.

Oracle iStore Overview:

Oracle iStore consists of two distinct but integrated user interfaces viz. Administrative Application and Customer Application

Administrative Application is used for :

Oracle iStore Made Simple

Written by Prasad Bhogle
Saturday, 10 May 2008 17:30

- Create Unlimited Number of Sites
- Setup Pricelists, Shipping Methods etc.
- Build Product Catalog using Oracle Inventory
- Change site look and Feel by selecting different Section Templates and Product Display Templates
- View and Configure Workflow notifications
- View Business and Operational Reports

Customer Application is full web based Shopping Application. It has various features viz.

- Online shopping and orders processed into Oracle Order Management
- Saves and Share Carts, Quotes etc
- Track Orders
- Cancel Orders
- Submit Return Orders
- Store and access user addresses and credit card data

Order iStore is an integrated part of E-Business Suite. It communicates with various Oracle EBS modules.

Oracle iStore Include following components:

- Business Objects- The schema for storing customer orders, product catalog and presentation element (IBE & ASO Database Schema)
- Runtime Services & APIs- These include PLSQL and Java based APIs which manipulate the Business Objects (Data)

Oracle iStore Made Simple

Written by Prasad Bhogle
Saturday, 10 May 2008 17:30

- Configurable Customer Application Templates- All customer application menus and pages are customizable using logical template names
- Processing and Routing Templates- In combination with display templates, these templates contain logic and appropriate business flows
- Oracle BLAF (Browse Look And Feel) compliant user interface for Administrative and customer application

Mandatory Modules for Oracle iStore

Oracle Receivables: AR is need to acces Customer and related information viz. Customer Details, Calculate Taxes, Generates Invoices

Oracle General Ledger: GL is needed for providing Business Unit Information to iStore and setting up of Chart of Account , Calendar, Currencies and Business Unit

Oracle Human Resources: HR Stores information related to organization and needed for tasks like setting up of Business Group, Locations, Legal Entities, Operating Unit, Employees, Bill-To and Ship-To Countries

Oracle iStore Made Simple

Written by Prasad Bhogle
Saturday, 10 May 2008 17:30

Oracle Inventory: Stores all products (also called as items in inventory terminology)

Oracle Order Management- iStore is can be called as WEB based Order Management for Order capture. iStore uses OM to track and process customer orders and shipping details. iStore uses Order Capture APIs and Schema to communicate with OM. OM is required include setting of System Parameters, Transaction Types, Workflows, Order Number sequence, defaulting rules, flag shipping methods as web enables, payment types

Oracle CRM Technology Foundation -This must be implemented in order for iStore to work properly.

Important Responsibilities

Following responsibilities are needed to implement Oracle iStore

- iStore Administrator - Required for Setup content, section, site, templates etc
- iStore Concurrent Program Administrator-Required for Execute concurrent programs for data refresh
- IBE_CUSTOMER :-Required for Placing Orders using iStore website
- CRM HTML Administrator (with all available ROLES):-Required for Setting business users and associate them to appropriate receivables account, Create Roles
- Application Developer:- Required for Setting message codes and message text
- Application Developer Common Modules (AK_DEVELOPER):-Setup regions, region

items/attributes used for Post Sales (Order Tracking)

Important Profiles

Profile Option Name

Value

IBE:Category Set

Valid Value from LOV

IBE:Item Master Organization

Valid Value from LOV

MO:Operating unit

Valid Value from LOV

IBE:Price Event For Shopping C

Batch Processing

IBE:Create Order In Enterec

Yes

IBE:Shopping Event Bef

Enter Order Line

IBE:Default Payment

Valid Value from LOV

JTF_PROFILE_DEF

671

Oracle iStore Made Simple

Written by Prasad Bhogle
Saturday, 10 May 2008 17:30

JTF_PROFILE_DI

jtfucss.css

Oracle iStore Made Simple

Written by Prasad Bhogle
Saturday, 10 May 2008 17:30

JTF_PROFILE_

USD

JTF_PROFILE_

21819 (iStore A

ASO: Automati

Yes

ASO:Credit C

Yes (if CC AI

ASO:Default

Store Draft

ASO:Default

Booked

ASO:Default

Mixed

ASO:Default

No sales o

ASO: Enab

Yes

ASO:OM

Yes or No

HZ:Gene

Yes (App

HZ: Gene

Yes (App

Sequent

Yes (Site

QP:Item

Valid Ma

ASO : A

Valid Cu

IBBE: Re

Yes

IBBE: Us

Yes

istore

Setup

■

Conc

urren

t

Progr

ams

Oracle iStore Made Simple

Written by Prasad Bhogle
Saturday, 10 May 2008 17:30

Loggin as iStore

Concu

rrent

Progr

am

Mana

ger

Execu

te

Follow

ing

Concu

rrent

Progr ams

1.1

Store

Search

h

Insert

(To

Popul
ate
iStore

Item Search h

Table)

-

Gener

ally

execu

ted

only

once

or for

compl

ete

refres

h

2.i

Store

Section

n

Search

h

Refre

sh

(Can

be

execu

ted


multipl

e

times)

istore

Setup

-  We

b

Serve

r

Oracle iStore Made Simple

Written by Prasad Bhogle
Saturday, 10 May 2008 17:30

Oracl

e

iStore

is a
JSP
based

applic
ation
hence

there

is a

need

of

bounc

ing of

Web Serve r for

various

s

occasi

ons

- S
etting
up

default ting rules

in

order

mana

geme

nt

- M

odifyin

g text

mess

ages

in

oracle

forms

- M

odifyin

g

looku

ps in

oracle

forms

- R

unnnin

g

Oracl

e

Pricing

g

Concu

rrent

Progr

ams,

Buildi

ng

source
ing
rules

- A

dding

new

items

to

invent

ory as

well

as

attribu
te
chang

es

- s

etting

Site

level

profile

option

s

-

S

etting

up

discover

erer

report

s

- A

ppplyin

g

Patch es

Oracle iStore Made Simple

Written by Prasad Bhogle
Saturday, 10 May 2008 17:30

Oracle iStore Made Simple

Written by Prasad Bhogle
Saturday, 10 May 2008 17:30

Oracle iStore Made Simple

Written by Prasad Bhogle
Saturday, 10 May 2008 17:30

Custo

mer

Appli

catio

n

Displ

ay

**Component
services**

Oracle iStore Made Simple

Written by Prasad Bhogle
Saturday, 10 May 2008 17:30

iStore

utilize

s

JSPs

(java

server

pages

)

along

with APIs to

retriev

e

dyna

mic

data

along

with

static

HTML

data.

iStore

uses

templ

ates

and

other

comp

onent

s to

prese

nt

custo

mer

applic

ation
viz. Di
splay

Templ ates, Sectio

n and
Produ
ct

Hierar
chy
and

Conte

nt -

image

s and

HTML

conte

nt

istore

Setup



Catalog

og

Creational

on

Oracle iStore Made Simple

Written by Prasad Bhogle
Saturday, 10 May 2008 17:30

Loggin as with

respo
nsibilit
y isto

re

Admi

nistra

to

using

regular

r

oracle

applic

ations

link or

using

followi

ng

URL

http://

<Ho

st

Name

>: &

It;port

>/ht

m/jtflo

gin.jsp

and

use

followi

ng
steps
to

create

a

catalo

g

Oracle iStore Made Simple

Written by Prasad Bhogle
Saturday, 10 May 2008 17:30

1.

Navig
ate to

Catalo

g Tab

to see

Hierar chy. 2.

Click

Section

n

■
image

■
in

Access

sories

Sectio

n

which

is root

sectio

n.

This

will

create
a new
section

n and

open

up a

page

to set

the

various

s

proper

ties.

3. S

elect

Accessories as

parent

section

and

mark

the

Status

as

Publis

hed.

4.

Updat

e

other
fields
viz.

Section

n

name,

Section

n

Code,

Descri
ption
etc.

5. T

here

are

Mand atory Produ

ct
(inven
tory)

Attributes setup

in

Oracle

e

invent

ory

viz. w

eb

Status

Flag -

Publicis hed, Order

able

on

web -

Yes,

OE

Transl

atable

- Yes,

Custo

mer

Order

Enabl

ed-

Yes.

6. S

imilarl

y all

iStore

produ

cts

shoul

db e

prese

nt in

priced

st

used

while iStore Site

Cre ati on se tup

and

Order

Mana

geme

nt

Workfl

ow

shoul

dbe

assigned
to
the

order
type
used

in

iStore

(order

type

profile

option



istore

Setup - Site Creati

on

Oracle iStore Made Simple

Written by Prasad Bhogle
Saturday, 10 May 2008 17:30

Follow
ing
few

steps

will

create

an iStore website

e.

Oracle iStore Made Simple

Written by Prasad Bhogle
Saturday, 10 May 2008 17:30

1.

Click

Sites

tab at

the

top

page

2.

Click

Creat e Sites

Button to open

page

'Updat

e Site

Detail s" Updat

e the

Site

Name

,

Descri ption

fields

3. S

et

Default Language

age to

"Amer

ican

Englis

h"

4. S

et

Default

t

Curre
ncy to
"US

Dollar

”

5. S

et

walk-i

n

Priceli

st to

"CKM

S

Priceli

st" or

any
valid
priceli

st

6.S

et

Catalo

g

Root

Section

n to

Newly

Creat ed Sectio

n in

previo

us

slides

7.

Check

all

check

boxes

except

t

(Restr

ict
custo
mer

acces

s by

respo

nsibilit

y)

8.

Click

Apply

to

save

the

chang

es

9.

Click

Paym

ent

Link

on

LHS

of

updat
e sites
scree

n. Add

the

neces

sary

paym

ent

type
(invoic
e/cred

it card

etc).

10.

Click

Apply

to

save

chang

es

11.

Click

Shipm

ent

Link

on

LHS of updat

e

Sites

Screen

n

12.

Add

neces

sary

Shippi

ng

metho

ds

13.

Click

Apply

to

Save

the

chang

es

14.

Click

Respo

nsibilit

y link

on

LHS

of

Updat

e

Sites

Scree

n and

add

IBE_C

USTO

MER

respo

nsibilit

y and

click

apply

to

save

the

chang

es

15.

Click

Access

s Link

on

LHS

and

Select

No

Restri

ctions

button

and

save

the

chang

es

Oracle iStore Made Simple

Written by Prasad Bhogle
Saturday, 10 May 2008 17:30

Oracle iStore Made Simple

Written by Prasad Bhogle
Saturday, 10 May 2008 17:30

Oracle iStore Made Simple

Written by Prasad Bhogle
Saturday, 10 May 2008 17:30

istore

-Usin

g

istore

Custo

mer

webs

ite

Brows

e the

newly

create

d

iStore

site

using

URL h

ttp://&l

t;host

>:&

lt;post

>/ht

m/ibe

zhom

e.jsp

and

login using user

id

which

has

IBE_C

USTO

MER

respo
nsibilit
y, Add

the

Produ

cts to

the Cart and

Place
the
Order.

After
receivi
ng

Order Confir matio

n

scree

n,

Order

will

land

in

Oracle

e

Order

Mana

geme

nt with

Flow_

Status

_code

as

ENTE

RED or BOOK

ED
based
on

iStore

Setup

s.

iStore

JSPs

intern

ally

call

Order

Capitu

re

APIs

(ASO
APIs)
and

ASO tables for

transf

erring

Order

Inform ation from

iStore to Order

Mana
geme
nt.

**iStore
Custo
mizati**

ons-

Tips

- If

User

Interfa

ce

requir

ement

s are

not

fulfill

d by

seede

d

templ

ates

the

JSP

custo

mizati

ons

will be

requir

ed.

- T

he

**new
JSPs
will be**

create

d

based

on

seedede

d

JSPs

which

will be

attach

ed to

seede

d

Displa

y

Templ
ates
using

Templ
ate
Mana

ger

scree

n of

iStore

Admin

istrativ

e site

- T

O

reflect

any

chang

es in JSRs, Item

Attributes, Prices

etc.

Web

server

will

have

to be

bounc

ed.

-

T

o view

sourc

e

code
of
class

files

used

in

JSPs

devel

oper

needs
to
have

following

tools

- J

ava

Deco

mpiler

s

e.g. DJ

Java

Deco

mpiler

3.9,
Jcavaj
, JSP

editor

like

JD eve

lopper

or

even

text

editor

editpl

us is

suffici

ent

- T

o get

inform

ation
about
JSP is

gettin

g

displa

yed

(which

is not

neces

sarily

same

as.jsp

name

.in

URL)

while

using

iStore

site,

use

followi

ng

steps

- C

opy

the

hard

coded

texts

from
JSP
page

e.g.

field

label

etc.

- L

ogin

to

Oracle

e

Applic ations as

Applic ation Devel

oper

and

navig

ate to

mess

age

maint

enanc

e

scree

n

- AI

I hard
codes
labels/

texts

in

iStore

are

store

as

Mess
ages
in

Datab ase with

mess

age

code

startin
g from
IBE%

- G

et the

appro

priate

mess

age

code

by

queryi

ng

mess

ages

scree

n

-

L

oggin

to

UNIX

and

chang

e

direct

ory to

\$COM

MON_

—

TOP/h

tml

- U

se

grep

comm

and to

file

given

mess

age

code

in

iStore

JSPs

which

will wil

I give

list of

all

JSPs

contai

ning

given

mess

age

code

e.g.

- gr

ep -|

"IBE_

YOUR

— PRI
— CE_C
— OL"

ibee*.js

p

Oracle iStore Made Simple

Written by Prasad Bhogle
Saturday, 10 May 2008 17:30

Impor

tant

Table

s/view

**ws in
istore**

Table/

Purpos

IBEDS

Stores

IBE_C

_

Produce

IBE_S

iStore

IBED
_

Section

IBE_M

iStore

ASO



iStore

ASO.



iStore

ASO.



iStore

FND.



All is.

Oracle iStore Made Simple

Written by Prasad Bhogle
Saturday, 10 May 2008 17:30

**Ref
eren**

ces

1.

Ora

cle

App

S

E-B

usin

ess

Suit

e

11.5

.10

Doc

ume

ntati

on

Libr
ary

2.

Vari

ous

Met

alink

Note

S